




THE COMPLETE DIGITAL AGRONOMY PLATFORM

PRECISION HARDWARE & SOFTWARE
DESIGNED FOR A NEW AGE OF FARMING



Product Brochure

YOU PUT EVERYTHING INTO YOUR FARM

DON'T LET IT GO TO WASTE

Unlock peak productivity, profitability, and resource efficiency with the complete **CropX digital agronomy platform**. One connected system. Smarter decisions. Stronger results.



Save on Inputs

Cut input costs without cutting corners. CropX helps you use water, nutrients, and energy more efficiently with precision irrigation tools, nitrogen leaching detection, and variable rate application.

By making smarter decisions faster, you save not just inputs but valuable time in the field. Better for your bottom line. Better for the planet.



Increase Yields

Grow more with less guesswork. CropX gives you real-time insights into crop health, disease risk, and water use so you can respond faster and keep plants thriving.

From satellite-based monitoring to in-field ET sensors, you stay in control at every growth stage. Healthier crops. Bigger yields. Smarter decisions.



Farm Sustainably

Reduce your environmental impact without adding complexity. CropX gives you full visibility across your farm, with connected tools to plan, track, and optimize every activity.

Seamlessly integrate with existing equipment and manage your entire operation with enterprise-grade precision. Smarter records. Stronger compliance. Real sustainability.



THE CROPX SYSTEM

Precise, Powerful, and Easy

CropX is a powerful precision agronomy system that centralizes soil data, in-field data, and satellite data in one easy-to-use software application.

This data is filtered through our own hydraulic, agronomic, crop, and disease models, alongside topography and soil maps, to deliver valuable insights and actionable recommendations.



Create or import fields in seconds



Monitor crop health with satellite imagery



Manage your farm networks across hundreds of sites



Irrigate with precision and confidence



Proactively detect leaching events and salinity stress



Assess disease risk and protect your crops



Track and report farm activity in detail



Connect equipment for seamless data exchange



Master variable rate application with powerful features




Refine irrigation decisions with real-time evapotranspiration

THE CROPX SYSTEM

Hardware & Integrations

Power agronomic insights with a wide array of data sources, including integrations with other platforms and hardware.



CROPX SOFTWARE

Access key agronomic data and insights



EVATO 1

Actual
evapotranspiration
sensor



STRATO 1

All-in-one
weather
station



TELEMETRY 2

Field data
gateway



RIVO 1

Rain gauge



VERTEX 4

All-in-one smart
soil sensor



APEX 1

Modular smart
soil sensor

Field Tested & Trusted

Founded in 2014, CropX is one of the fastest growing providers of precision agronomic management solutions in the world. Our expertise is grounded in farming, agronomy, hydrology, machine learning, engineering and tech.

2,000+
FARM DEPLOYMENTS

180+
INTEGRATIONS & MACHINERY
TYPES SUPPORTED



80+
CROP TYPES SUPPORTED

**7 LANGUAGES
SUPPORTED**
ENGLISH · SPANISH · FRENCH · DUTCH
GERMAN · PORTUGUESE (BR) · HUNGARIAN



CropX Product Development Principles

We draw on the practical knowledge of our farmer-employees, founders and customers to deliver:



AGRONOMIC VALUE

Using accurate and robust data sets to provide impactful agronomic insights and advice to help farmers optimize yields and minimize resource use



SIMPLE SOLUTIONS

Developing clear and easy-to-use solutions that are accessible for every farm and attuned to the needs of large-scale agribusiness



CONNECTED DATA

Connecting and activating farm data to create solutions, transparency, and traceability for the benefit of the farmer, ag supply chain, consumer and planet



Low Water, High Yields: A California Citrus Success Story

Fifty trees were chosen to test how the Grower's practices compared to CropX irrigation advice. Control trees were irrigated using a sprinkler system and a separate, automated irrigation system was installed for trees irrigated using the CropX irrigation advice.



15%

YIELD INCREASE



68%


WATER USE REDUCTION





How One Arkansas Soybean Grower Scaled Smarter

A third-generation farmer achieved an 18-bushel-per-acre soybean yield increase after adopting CropX sensors — generating \$200–\$250 more per acre and quickly recouping the initial cost.



31%

**AVERAGE YIELD
INCREASE**



AVERAGE YIELD

73 bu/ac

WITH CROPX SOIL SENSORS






CROPX SOFTWARE

FOR iOS, ANDROID, AND DESKTOP

Seamless data integration with these brands and more



Additional information

- At least 5.73 mm of additional soil water is needed to achieve optimal soil water status, and there is currently storage capacity for up to 42.34 mm of additional irrigation and rain water.
- In some crops, intentional crop drying practices are sometimes needed. Dry soil conditions may be desirable in those certain situations

Irrigate now

Soil moisture status


See moisture trends in your soil profile in the past 7 days. Choose a graph to show detailed sensor data.

My cool sensor 1 (V123545)



Soil moisture

% VWC



Soil Water Deficit

5.3 mm
Current deficit


12.3 mm
Average deficit



Create or Import Fields in Seconds

Import, drag-and-drop, or draw your own



- Bulk import full farm and field hierarchy from John Deere Ops Center or Climate FieldView
- Drag and drop any shape file
- Create from as-planted machine data
- Land parcel boundaries from European cadastral data
- Draw your own
- Auto detect soil zones and layers from local geological survey data



Monitor Crop Health with Satellite Imagery

NDVI, SAVI, NDMI indices and True Color maps


- Multi-year, multi-spectral satellite imagery (Sentinel-2, Landsat)
- 10 year historical productivity
- Detect in-field variability and issues
- Compare and contrast with any geospatial data
- Quickly add points of interest for scouting
- AI-based cloud detection



Manage Farm Networks Across Hundreds of Sites

Enterprise-grade crop, device, and data management

- Global agronomic overview of all managed farms and fields
- At-a-glance crop and field health status and KPIs across hundreds of sites
- Designed for dealers and agribusinesses for crop, device, and data management at scale
- Custom KPIs and dashboards on demand



Irrigate with Precision & Confidence

Assess, forecast, and fine-tune irrigation plans

- Works with CropX or third-party soil sensors (Sentek, EnviroPro, Aquacheck)
- Autonomous and continuous field capacity detection and set point calibration
- Per depth and field level moisture status
- Forecast based on crop model (Kc), weather, rainfall and predicted water usage
- Precise, system-specific irrigation recommendations (pivot, drip, sprinkler)

Hardware Options


This functionality requires a compatible soil sensor.



VERTEX 4
All-in-one smart
soil sensor



APEX 1
Modular smart
soil sensor



Proactively Detect Leaching Events & Salinity Stress

Continuous monitoring and reporting with CropX Vertex 4

- Requires CropX soil sensor (with multi-depth moisture and EC)
- Determination of current soil salinity and stress level as well as crop-specific optimal range (EC saturated paste method)
- Continuous monitoring and reporting of leaching events
- Proactive alerts of over-irrigation or rainfall driven leaching events to adjust irrigation strategy
- Quickly add fertilization tasks to restore lost nutrients

Hardware Options

This functionality requires a compatible soil sensor.





VERTEX 4

All-in-one smart soil sensor



APEX 1

Modular smart soil sensor



Fertilization Tasks

Date	Product type	N Rate (lb N/ac)	Product rate (lb/ac)	
06-08-2024	Urea ammonium nitrate (UAN 32) (32%)	30	93.75	👁

+ Add Application

Assess Disease Risk & Protect Your Crops


Disease risk detection and spraying recommendations

- Proprietary disease models in production worldwide and tuned for 15+ years*
- Risk detection of over 50 fungal diseases, tested and validated for 10+ years*
- No sensor required
- Crop protection product type and optimal spray timing recommendation
- Quickly schedule and send spraying tasks to machines
- Detailed record keeping of products, concentrations and quantities used (including when and where)

 **Disease application records**
Application records info here

Fungicides	Product rate	Date
Revus	1.0 Kg/Ha	08-11-2022
Curzate M	1.0 Kg/Ha	08-11-2022
Revus	1.0 Kg/Ha	08-11-2022
Revus	1.0 Kg/Ha	08-11-2022
Zorvec	1.0 Kg/Ha	08-11-2022

[+ Add Application Event](#)




Apple
Apple scab


Asparagus
Leaf spot


Beetroot
Remularia leafspot
Beet leafspot


Bell Pepper
Alternaria
Leveillula
Grey mold


Broccoli
Headrot
Downy mildew
White rust


Carrot
Alternaria
Cercospora
Sclerotinia
Powdery mildew


Celery
Septoria


Coriander
Septoria


Corn
Common rot
Grey leaf spot
Northern leaf blight


Endive
White mold


Grapes
Grey mold
Powdery mildew
Downy mildew


Leeks
White tip
Alternaria
Rust


Lemon
Brown rot
Melanose
Black rot
Guignardia


Lettuce
Downy mildew
White mold


Onion
Downy mildew
Botrytis
Neckrot
Purple blotch
White tip
Leaf spot


Peas
Ringspot
Alternaria
White rust/blister
Powdery mildew


Potato
Late blight
Early blight
White mold
Grey mold


Rapeseed
White rot


Strawberry
Blue/grey mold
Powdery mildew


Sunflowers
White mold


Soybean
Asian soybean rust
White mold


Tomato
Late blight
Blue/grey mold
Alternaria


Tulip
Botrytis



Winter wheat
Septoria tritici blotch

* Proprietary disease models and disease risk prediction limited to crops listed at right.

Track & Report Farm Activity in Detail

Holistic farm planning and detailed record keeping

- Plan (and replan) your farm's entire season holistically
- Record every farm activity, with products used, quantities, rates, and costs for regulatory and contractual reporting (e.g. to food processor)
- Allocate tasks to staff members and machines
- Get warnings for non-permitted input use based on extensive database and business rules




The screenshot displays the 'New record' form in the CROPX software. The form is divided into several sections: 'Where?', 'When?', 'Crop protection', and 'Product'. The 'Where?' section shows a list of added crop fields: 'achterland alke A' (4.37 ha) and 'barlage 1' (6.77 ha). The 'When?' section shows the date and time '12/01/2024 2:09 AM', duration '0:00', and labels. The 'Crop protection' section shows the method 'Crop protection (common)', quantity of water 'l/ha', nozzle type 'Agrifac HTA D2-21', safety term (days) '3', growth stage '2-leaf stage', and purpose 'fungicide'. The 'Product' section shows the product 'Belenty 10459 N' with a dosage of '87' and a total of '969.1800'. The form includes buttons for 'Record', 'Attachments', 'Prescription map', and 'Observation map' at the top, and a 'Create a job for these activities' checkbox. At the bottom right, there are 'Cancel' and 'Save record' buttons.

Connect Equipment for Seamless Data Exchange

Data connections with all major farm equipment



- Connect to multiple OEM (original equipment manufacturer) accounts to enable seamless data exchange
- Pull machine data and as-applied events into CropX
- Push tasks and prescription maps (variable rate seeding, spraying, etc.) to machines
- Correlate farm activities to crop outcomes
- Wireless send to John Deere machines
- Native integrations via standard APIs



Master Variable Rate Application with Powerful Features

From seeding and fertilization to irrigation and crop protection

- Create management zones and reusable prescription maps based on any common data layer: machine passes, satellite imagery, soil maps, etc.
- Send seamlessly to almost any OEM (original equipment manufacturer) wirelessly or via file transfer
- Use advanced geospatial tools to locate areas of below/above average application within your field, including soil potential maps to pinpoint long-term weak spots



Refine Irrigation Decisions with Real-Time Evapotranspiration

Affordably measure actual ET with CropX Evato 1 (ET1)


- World's first and only solution for direct in-field measurement of actual ET of your crops, at an affordable price
- Track crop water usage, stress, and canopy growth in real time to refine irrigation decision making in late stage development

Required Hardware



CROPX EVATO 1


Actual evapotranspiration sensor



Capture Plant-Level Water Stress Insights with One Photo

Achieve complete visibility across your entire vineyard with **CropX Vision**

- With **CropX Vision**, vineyard teams can capture leaf water potential directly from the plant using a simple smartphone photo.
- Scalable, in-season alternative to the pressure chamber delivers plant-level water stress insights across your entire vineyard, without bulky equipment or limited sampling.
- Readings are instantly available in the CropX mobile and web platform, so decisions can be made when they matter most.





How Banana Growers Stay One Step Ahead of Leaching Events

Banana growers in the Middle East use CropX to manage irrigated and rain-fed banana plantations. In addition to using the CropX system to manage irrigation, users track nitrogen movement in the soil for more precise fertilizer applications to avoid runoff and leaching.



27%

YIELD INCREASE



15%

FERTILIZER SAVINGS





Doubling Alfalfa Production with Data-Driven Irrigation

By replacing gut-feel water management with real-time soil moisture data, one Wyoming operator doubled alfalfa yields and cut pumping energy while managing irrigation across alfalfa, grass hay, barley, and more in one of the state's driest regions.



100%

**YIELD INCREASE WITH
CROPX SOIL INSIGHTS**



**PUMPING ENERGY
DECREASED BY**

15-20%





CROPX HARDWARE & SENSORS




CropX Vertex 4

All-in-one smart soil sensor

The **CropX Vertex 4** is a simple, innovative and cost-effective solution for irrigation management and nutrient monitoring across any crop type or irrigation practice.

The predictive soil data captured by the hardware, combined with an industry-leading agronomic software platform, makes the **CropX Vertex 4** part of the most user-friendly, powerful, and effective agronomic farm management platform on the market today.



** 66 centimeters (26 inches) with 3 sensors and 3 sensing depth offsets, enabling VWC and EC measurement at 9 possible depth configurations and soil temperature measurement at 6 possible depth configurations.*

CROPX HARDWARE

CropX Apex 1

Modular smart soil sensor

The **CropX Apex 1** is a precision soil sensor that provides accurate measurements of **soil moisture (VWC), temperature, salinity (EC), and EC-based leaching detection** every 10 centimeters (4 inches) across the soil profile. It connects to CropX telemetry devices and the CropX software platform to provide actionable insights for irrigation, nutrition management and more.


The Apex 1 comes in **depth options of 30, 60, and 90 cm (12, 24, and 36 in.)** to accommodate a wide range of crop rooting depths.

The **smooth tapered cylinder design** minimizes soil disruption and allows for slurry-free, minimal-disturbance installation and extraction across a wide range of soil types.

Additional Required Hardware



CROPX TELEMETRY 2
Field data gateway



No separate battery needed – draws from CropX TD2 battery

Available in depths of 30, 60, and 90 cm (12, 24, and 36 in.)

Measures soil moisture, salinity, and temperature every 10 cm (4 in.) across entire profile

CROPX HARDWARE

CropX Evato 1

Actual ET sensor

With actual ET data from the **CropX Evato 1**, growers can now access direct measurements to determine the Actual Evapotranspiration (ETa) of a crop.

Track field-specific crop water use over a broad area in real time! When ET sensors and soil sensors are used together, the CropX Irrigation Planning capability offers the most complete picture of field water movement.

CROPX ACTUAL ET PROVIDES:


Actual Evapotranspiration (ETa) data: CropX ET sensors measure and monitor the water use of your crop daily, in real time. ETa is measured over a broad area of your field.

Water Use and Availability Monitoring: With crop water use data plus soil water availability monitoring from soil sensors, you can confidently make precise, profitable, and responsible irrigation decisions.

Additional Required Hardware



CROPX TELEMETRY 2
Field data gateway



CROPX HARDWARE

CropX Strato 1

All-in-one weather station

The **CropX Strato 1** weather station measures temperature, humidity, wind speed, wind direction, rainfall, and solar radiation to bring cutting-edge precision to your farm, empowering you with real-time hyper-local weather data you can rely on. The all-in-one station comes pre-assembled with all the sensors, power, and connectivity included in a compact package ready to mount.


With high-quality, high-precision components that have been field tested for 10+ years worldwide, we give you peace of mind that your reliable weather station will withstand the harsh elements year after year after year.

An all-inclusive and affordable annual subscription provides seamless integration into the CropX platform and world-class support.

Additional Required Hardware



CROPX TELEMETRY 2
Field data gateway



Solar panel for continuous wireless operation

Rechargeable, replaceable Li-ion battery

Includes CropX Telemetry device with cellular connection

CROPX HARDWARE

CropX Rivo 1

Rain gauge

The **CropX Rivo 1** connects rainfall data to the CropX agronomic farm management platform via the **CropX Telemetry 2** device. This combination provides users with a cost effective solution for increasing data connectivity and generating agronomic insights. Knowing the exact rainfall helps you make data-based decisions at the field level.


The **CropX Rivo 1** is easy to install and activate. It features a season-long* battery life and can be fitted with an optional solar panel for year-round operation. In addition, it allows for connecting to a wide range of supplemental sensors.

Additional Required Hardware



CROPX TELEMETRY 2
Field data gateway

** Depending on crop/season length and configured communication interval*



CropX Telemetry 2

Field data gateway

The **CropX Telemetry 2** lets customers connect CropX sensors with the powerful CropX solution. It also allows customers to connect with third-party sensors, including a variety of soil moisture sensors and rain gauges.

Data collected from connected devices is fed into the CropX system, allowing users to access data visualizations and agronomic advice from their desktop or mobile devices.

CROPX TELEMETRY 2 CONNECTIONS

Each CropX telemetry device has two SDI-12, two pulse and one current loop (4-20 mA) input(s) available to connect the following devices:

SOIL SENSORS	RAIN GAUGES	OTHER DEVICES
Sentek	CropX	Flow meter
EnviroPro	Davis	Effluent pond level meter
Aquacheck		Pump switch





Keeping a Sensitive Crop in Balance, Worldwide

Growers across 3 continents used the irrigation and nutrition management capabilities of CropX to manage sugarcane, which is highly sensitive to both under- and over-watering. Nitrogen management is critical as well, to avoid leaching and soil build up.



70%

**AVERAGE YIELD
INCREASE**



GLOBAL

**PROFIT DRIVER ACROSS
SOUTH AMERICA, AFRICA,
AND AUSTRALIA**





Fewer Sprays, Healthier Potatoes in the Dutch Lowlands

Growers across 3 continents used the irrigation and nutrition management capabilities of CropX to manage sugarcane, which is highly sensitive to both under- and over-watering. Nitrogen management is critical as well, to avoid leaching and soil build up.



3-4

**SPRAY APPLICATIONS
SAVED PER SEASON**



**CROP REGISTRATION &
DISEASE MODELING IN A**

**SINGLE
SYSTEM**



3 STEPS TO PRECISE, POWERFUL INSIGHTS

Whether you're managing 20 farms or just one, getting set up on the CropX platform hardly requires lifting a finger. **Here's how to do it:**

STEP 1

Get the App & Create a CropX Account

Download the CropX app from your device's app store, then create a CropX account from the app's home screen.

STEP 2

Set Up Your Fields within the CropX App

Quickly and easily create your field(s) in the CropX app. You'll start seeing satellite imagery and other data almost immediately.

STEP 3

Install Sensors & Connect to Farm Machines

Deepen the insights available to you in the app by installing CropX sensors and connecting to other farm machinery.





CONTACT DETAILS

CROPX SUPPORT IS JUST A CALL AWAY

UNITED STATES

(888) 832-2767

201 E Center St Ste 112 PMB 237
Anaheim, CA 92805

AUSTRALIA

+61 03 9070 4848

Level 31, 120 Collins Street
Melbourne 3000, Australia

NEW ZEALAND

+64 800 37 34 36

Level 31, Plimmer Towers 4
2-6 Glimer Terrace
Wellington Central, Wellington 6011

THE NETHERLANDS

+31 88 3226600

Warmoltslaan 10
9752 GR Haren

ISRAEL

Giborei Israel 5, Netanya
PO BOX 6256, 4250405

GLOBAL SALES

sales@cropx.com
www.cropx.com